

Japanese Laid-Op n Utility Mod I Publication

Utility Model Publication No.: JP48-17109

Publication Date:

1973-2-26

Applicant:

NICHI VINYL KOGYO KABUSHIKIGAISHA

Application Number:

JP46-59329

Filing Date:

1971-7-7

Summary

A device has an air-impermeable bag composed of a soft synthetic resin and a valve attached to the bag. The bag is filled with an elastic foam body.

CITC

0 CCT CTO T+O!

... ... - - -

19 日本国特許庁

100日本分類

126 B 012 126 126 D 0 126 E 0 .84 H 3

公開実用新案公報

⑩実開昭48-17109

厅内整理番号

6582 - 226551 -35 ❸公開 昭 48 (1973). 2.26

6582 -22

7238 - 222123 - 36 審査請求 有

匈発泡弾性体を充塡した軟質合成樹脂製の用具

②)実

顧 昭46-59329

22出

仍出

顧 昭46(1971)7月7日

70考案 者 高井日出夫

岐阜市且島663の6

人 日置ビニール工業株式会社

岐阜市近島120の27


四代 理 人 弁理士 恩田博宜


砂実用新案登録請求の範囲


軟質合成樹脂により気密状に形成した袋体には 空気栓を設けるとともに、発泡弾性体を内部にほ ぼ隙間なく充塡したととを特徴とする発泡弾性体 を充填した軟質合成樹脂製の用具。

図面の簡単な説明

第1,3.5図はそれぞれ本考案第一,二,三 実施例の使用状態を示す斜視図、第2,4,6図 はそれぞれ本考案第一,二,三実施例の折りたた み状態を示す斜視図である。 袋体 1、空気栓 2、 発泡弾性体 3。










第5図



第6図

